

Stretch-Outs for Jacketing AEROFLEX EPDM™ Pipe Insulation

AEROFLEX	THICKNESS						
	1/4"	3/8"	1/2"	3/4"	1"	1-1/2"	2"
Label ID	Stretch Out (in)	Stretch Out (in)	Stretch Out (in)	Stretch Out (in)	Stretch Out (in)	Stretch Out (in)	Stretch Out (in)
1/4"	2.98*	3.61*	4.24*	5.81	7.54	11.15*	N/A
3/8"	3.46*	4.02	4.65	6.22	7.95	11.56	14.86*
1/2"	3.86*	4.49	5.12	6.69	8.42	12.03	15.33
5/8"	4.27*	4.90	5.53	7.10	8.98	12.44	15.74
3/4"	4.65*	5.28	5.91	7.48	9.36	12.82	16.12
7/8"	5.00*	5.62	6.44	8.20	9.71	13.48	16.78
1-1/8"	5.78*	6.41	7.23	8.98	10.49	14.26	17.56
1-3/8"	N/A	7.35	8.36	10.18	11.44	15.21	18.50
1-5/8"	N/A	8.48	9.17	11.00	12.25	16.18	19.63
1-7/8"	N/A	9.42	10.12	11.94	13.19	17.12	20.58
2-1/8"	N/A	10.05	10.93	12.57	13.82	17.75	21.21
2-3/8"	N/A	10.84	11.72	13.35	14.61	18.54	21.99
2-5/8"	N/A	11.66	12.53	14.17	15.43	19.35	22.81
2-7/8"	N/A	12.69	13.57	15.21	16.46	20.39	23.84
3-1/8"	N/A	13.29	14.17	15.80	17.06	20.99	24.44
3-1/2"	N/A	14.73	15.80	17.25	18.50	22.43	25.89
3-5/8"	N/A	14.92	15.99	17.44	18.69	22.62	26.08
4-1/8"	N/A	16.52	17.59	19.04	20.29	24.22	27.68
4-1/2"	N/A	17.81	18.88	20.33	21.58	25.51	28.97
5-1/8"	N/A	N/A	20.80	22.24	23.50	27.43	30.88
5-1/2"	N/A	N/A	22.31	23.75	25.01	28.93	32.39
6-1/8"	N/A	N/A	24.28	25.73	26.99	30.91	34.37
6-5/8"	N/A	N/A	25.98	27.43	28.68	32.61	36.07
8-5/8"	N/A	N/A	32.26**	33.71**	34.97**	38.89**	42.35**
10-3/4"	N/A	N/A	38.92**	40.37**	41.63**	45.55**	49.01**
12-3/4"	N/A	N/A	N/A	N/A	47.91**	51.84**	55.29**
14"	N/A	N/A	N/A	N/A	51.93**	55.86**	59.31**
16"	N/A	N/A	N/A	N/A	58.21**	62.14**	65.60**

WARNING:

- Stretch-outs calculated using maximum outside diameter (OD) tolerance per ASTM C534 Type I. Actual OD may be smaller.
- This table is provided as a convenience for sizing jacketing materials. It is the responsibility of the installer to determine the correct fit of jacketing materials over AEROFLEX EPDM™ pipe insulation.

*Standard (unslit) tubes only

**Self-Seal tubes only