

SAFETY DATA SHEET



Date of Issue: 06/01/2023
Revised 09/25/24

AEROFLEX Breathe-EZ® Duct Insulation

Flat Sheet and Sheet Roll

Page 1/3

1. PRODUCT AND COMPANY IDENTIFICATION

| | |
|-----------------------------------|---|
| Identification of Product: | EPDM Closed Cell Thermal Insulation |
| Trade Name: | AEROFLEX Breathe-EZ® Duct Insulation |
| Manufacturer/Supplier: | Aeroflex USA, Inc. 282 Industrial Park Road, Sweetwater, TN 37874 |
| Telephone Number: | Toll Free 1-866-237-6235 |
| Emergency Phone Number: | ChemTel, Inc. 1-800-255-3924 (North America) 1-813-248-0585 (International) |

2. HAZARD IDENTIFICATION

Inhalation

No significant signs of any adverse health hazard are expected to occur as a result of inhalation exposure

Eye Contact

No significant signs of any adverse health hazards are expected to occur as a result of eye contact

Ingestion

Practically non-toxic

Skin Contact

No Significant signs of any adverse health hazards are expected to occur as a result of skin contact

3. COMPOSITION/INFORMATION ON INGREDIENTS

Health Hazardous Components

Elastomeric thermal insulation is an expanded, closed cell, cross-linked rubber compound. They contain synthetic polymers, fillers, plasticizers and rubber chemicals. Since all of these material are bound in a polymer matrix, the product does not qualify as a hazardous material as defined by OSHA (29 CFR 1910.1200).

Following are the main ingredients in this product:

Synthetic rubber (EPDM: Ethylene-Propylene-Terpolymer Rubber) CAS No. 25038-36-2, 923-949-0

Aluminum Trihydrate CAS No. 21645-51-2, 244-492-7

Carbon Black CAS No. 1333-86-4, 215-609-9

4. FIRST AID MEASURES

| | |
|---------------------|--|
| Inhalation | Not required under normal use. If irritation persists, remove from exposure area |
| Eye Contact | No required under normal use. Flush with water until all traces of the material are done. Seek medical attention if irritation persists |
| Ingestion | If illness or adverse symptoms develop, obtain medical attention |
| Skin Contact | Not required under normal use |

SAFETY DATA SHEET



Date of Issue: 06/01/2023
Revised 09/25/24

AEROFLEX Breathe-EZ®

Duct Insulation

Flat Sheet and Sheet Roll

Page 2/3

5. FIRE-FIGHTING MEASURES

Extinguishing Media

Carbon Dioxide, ABC dry chemical, Water spray and foam

Specific Hazards with regard to Fire-Fighting measures

Approach from upwind side. Avoid breathing smoke, fumes or vapors on downwind side.

Firefighters wear protective clothing, especially eye protection, and self contained breathing apparatus

Hazardous Combustion Products

Material is stable under normal conditions. In the event of a prolonged fire, may generate Carbon Monoxide, Carbon Dioxide, Low molecular weight alcohol/aldehydes and acid.

6. ACCIDENTAL RELEASE MEASURES

If materials released/Spill

Land Spill Collect spilled material and place it in an appropriate container for reuse or disposal

Water Spill Product is insoluble. Collect spilled material and place in an appropriate container for reuse or disposal

Neutralizing Agent Negligible

7. HANDLING AND STORAGE

Handling Condition No special precaution required

Storage Condition Keep in dry normal storage

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Engineering Controls General ventilation

Personal Protection Negligible

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-------------------------------------|---|
| Appearance: | Expanded Foam Rubber |
| Normal density | 3 lbs/ft ³ |
| Service Temperature | -70°F to 257°F (-57°C to +125°C) |
| Thermal Conductivity | 0.255 BTU.in/ft ² .hr.°F at Mean temp 75°F |
| Water Absorption | <0.2% by volume Max |
| Water Vapor Permeability | 0.08 Perm-inch (2.2 x 10 ⁻¹¹ g/Pa.m.s) |
| Heat Stability (220°Fx7days) | 7% Max |
| Flammability | Self-extinguishing |

SAFETY DATA SHEET



Date of Issue: 06/01/2023
Revised 09/25/24

AEROFLEX Breathe-EZ® Duct Insulation

Flat Sheet and Sheet Roll

Page 3/3

10. STABILITY AND REACTIVITY

| | |
|--|--|
| Stability and Reaction | Stable under normal temperatures and pressure |
| Conditions to avoid | Negligible |
| Hazardous Decomposition Product | May generate Carbon Monoxide, Carbon Dioxide, Low molecular weight alcohol/aldehydes and acid |
| Hazardous Polymerization | Will not occur |

11. TOXICOLOGICAL INFORMATION

Non Hazardous Substance

12. ECOLOGICAL INFORMATION

This product may not toxic to aquatic life with long lasting effects

13. DISPOSAL CONSIDERATION

Waste material may be disposed of in an approved landfill or may be incinerated under conditions which meet federal, state, and local environmental regulation.

14. TRANSPORT INFORMATION

Not regulated as a dangerous good

15. REGULATORY INFORMATION

International Regulation :EU Regulation (EC) No.1272/2008 on classification, labeling and packing of chemicals substances and mixtures
International Inventory Status EINCES: May be commercialized according EC 2020/878 directive.

16. OTHER INFORMATION

The information supplied herein is related to material specified and may not be valid if used in combination with other material or process. Further the information contained here is believed to be reliable and based on correct state of our knowledge. However no guarantees of any kind can be give as to its accuracy.
